

FILE NOTATIONS

Entered in NID File _____

Entered On S R Sheet _____

Location Map Placed _____

Card Indexed ☒ _____

IWR for State or Fee Land _____

Checked by Chief _____

Copy NID to Field Office _____

Approval Letter _____

Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 3-18-57

OW _____ VFW _____ TA _____

GW _____ OS _____ PA X

Location Inspected _____

Bond released _____


State of Fee Land _____

LOGS FILED

Driller's Log 3-19-57

Electric Logs (No) 1-3

E ☒ I ☐ E-I _____ GR _____ GR-IR ☒ IR-IR ☒
 Lat _____ N-E-L _____ Scale _____ Offset _____



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office

Lease No. **Utah 073**

Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 19, 1956

Well No. 1 is located 1960 ft. from XX line and 660 ft. from E line of sec. 14NE 1/4 SE 1/4 Sec. 14
(1/4 Sec. and Sec. No.)8 South 22 East
(Twp.) (Range)

(Meridian)

(Field)

Uintah
(County or Subdivision)Utah
(State or Territory)The elevation of the derrick floor above sea level is 5250 ft. App.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Objective Depths: Green River 4750', Wasatch 5770', Mesa Verde 7970'. 500', more or less, 60' N 80 13-3/8" surface casing to be set with sufficient cement to fill to cellar floor. If completion attempted 7" casing of proper weight and grade with sufficient cement will be set at depth at which commercial production is indicated. Mud will be conditioned with additives prior to drilling any section where loss of circulation could occur. The water loss and filter cake will be kept at designated minimums as is indicated by drilling conditions. Hole will be cored as indicated by sections penetrated. Casing program will be submitted prior to completion attempt.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Geology Don E. WoodwardAddress P. O. Box 346Santa Fe SpringsCaliforniaBy Don E. Woodward

Title

PLAT SHOWING
PROPOSED LOCATION OF THE DON E. WOOD-
WARD WELL IN THE NE $\frac{1}{4}$ OF THE SE $\frac{1}{4}$ SECTION
14, TOWNSHIP 8 SOUTH, RANGE 22 EAST,
SALT LAKE BASE AND MERIDIAN.

Scale of Plat 1" = 400 feet




I, Leon P. Christensen of Vernal, Utah do hereby certify that this plat correctly shows the proposed location of the well shown hereon as staked by me on November 19, 1956, and levels run on November 19 and 21, 1956; that said well location is at a point 660 feet West and 660 feet South of the East quarter corner Section 14, Township 8 South, Range 22 East, Salt Lake Base and Meridian.

Leon P. Christensen
Prof. Engr. & Land Surveyor

R. 22 E.

T. 8 S.

T. 8 S.




WHITE RIVER AREA

UINTAH CO., UTAH

SCALE : 1" = 2250'

DATE : 11-26-56




GULF OIL



SINCLAIR OIL



CONTINENTAL OIL



STANDARD OF CAL.



PETROLEUM AND ITS PRODUCTS

GULF OIL CORPORATION

FIRST SECURITY BUILDING

P. O. BOX 1346 • SALT LAKE CITY 10, UTAH

DENVER PRODUCTION
DIVISION

November 21, 1956

EXPLORATION DEPARTMENT

JACK HANSON
ZONE MANAGER

Mr. Don F. Russell
District Engineer
United States Geological Survey
457 Federal Building
Salt Lake City, Utah

Re: Gulf No. 0-62837-02 (Federal No. U-073)
White River Area - Uintah County, Utah

Dear Mr. Russell:

Enclosed is Notice of Intention to Drill, in triplicate, executed by Mr. Don E. Woodward, setting out details of a well to be drilled on a portion of the subject federal oil and gas lease described as the NE/4 SE/4 Section 14-8S-22E, SLM, Uintah County, Utah.

Upon approval of the plans for this well as detailed, please return an approved copy of the enclosed notice to this office. A stamped, self-addressed envelope is enclosed for your convenience.

Very truly yours,

ORIGINAL SIGNED BY
LOREN E. ANDERSON

Loren E. Anderson
Zone Landman

RLM:DB
Encs.

cc: H. D. Bedford (WEP)
Mr. Don E. Woodward
P. O. Box 386
Santa Fe Springs, California
— Mr. Cleon B. Feight — (w/enc.)
Utah State Oil & Gas Conservation Comm.
Room 140, State Capitol Bldg.
Salt Lake City, Utah

November 26, 1956

Gulf Oil Corporation
P. O. Box 1346
Salt Lake City 10, Utah

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. 1, which is to be located 1980 feet from the south line and 660 feet from the east line of Section 14, Township 8 South, Range 22 East, SIM, Uintah County.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

However, said approval is conditional upon a plat being submitted in accordance with Rule C-4, General Rules and Regulations and Rules of Practice and Procedure, Oil and Gas Conservation Commission, State of Utah.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT
SECRETARY

CBF:en

cc: Don Russell
USGS, Federal Building
Salt Lake City, Utah

Don E. Woodward
P. O. Box 386
Santa Fe Springs, California



PETROLEUM AND ITS PRODUCTS

GULF OIL CORPORATION

FIRST SECURITY BUILDING

P. O. BOX 1346 · SALT LAKE CITY 10, UTAH

November 27, 1956

DENVER PRODUCTION
DIVISION

EXPLORATION DEPARTMENT

JACK HANSON
ZONE MANAGER

Mr. Cleon B. Feight, Secretary
Utah State Oil & Gas Conservation Comm.
Room 140
State Capitol Building
Salt Lake City, Utah

Re: Don E. Woodward - Test Well
White River Area - Uintah County, Utah

Dear Sir:

As requested by your letter of November 26, 1956, enclosed is a plat showing the proposed location for the test well to be drilled in the NE/4 SE/4 of Section 14-8S-22E, SLM. Also shown on this plat are the leasehold interests and lease boundaries covering the drill site section and the eight (8) contiguous sections.

To the best of our knowledge, no additional wells are drilling or producing within the area covered by this plat.


Very truly yours,

Loren E. Anderson
Zone Landman

RLM:d
Enclosure

cc: Don Russell
United States Geological Survey
Federal Building
Salt Lake City, Utah - w/enclosure

Don Woodward
P.O. Box 386
Santa Fe Springs, California - w/enclosure



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Salt Lake**
Lease No. **U-073**
Unit **White River**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	Final Location and Elevation Notice	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 18, 1957

Well No. **I** is located **3300** ft. from **N** line and **660** ft. from **E** line of sec. **14**
NE 1/4 Sec. 14 **T.2S.** **R.22E.** **S.L.B. & N.**
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
White River Unit **Utah** **Utah**
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **5338** ft.

DETAILS OF WORK


(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Don E. Woodward**
 Address **Box 386**
Santa Fe Springs,
California
 By **Don E. Woodward**
Operator
 Title

U. S. LAND OFFICE **Salt Lake**SERIAL NUMBER **U-073**

LEASE OR PERMIT TO PROSPECT _____

**T.8S.**

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company **DON E. WOODWARD** Address **P.O. BOX 386, WHITTIER, CALIF.**
 Lessor or Tract **Tract #5, White River Unit** Field **Wildcat** State **Utah**
 Well No. **1** Sec. **14** T. **8S** R. **22E** Meridian **Salt Lake** County **Uintah**
 Location **1980** ft. **{N.}** of **S** Line and **660** ft. **{E.}** of **E** Line of **Section 14** Elevation **5146'**
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed _____

Title **MANAGER OPERATOR**

Date _____

The summary on this page is for the condition of the well at above date.

Commenced drilling **January 2,** 19 **57** Finished drilling **March 8,** 19 **57**

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from **5896'** to **5904'** No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
 No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
13-3/8	48#	8 Rnd	R.S.	556	Halliburton	--	--	--	Surface

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
13-3/8	548	450	Displacement		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 6530 feet, and from feet to feet
 Cable tools were used from feet to feet, and from feet to feet

DATES

Put to producing , 19
 The production for the first 24 hours was barrels of fluid of which % was oil; %
 emulsion; % water; and % sediment. Gravity, °Bé.
 If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas
 Rock pressure, lbs. per sq. in.

EMPLOYEES

C. M. Johnson, Driller Otis Cox, Driller
 Glenn Hubbard, Driller M. E. Johnston Tool Pusher

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
Surface	± 200	200	Duchesne River
± 200	2452	2252	Uinta
2452	5450	2998	Green River
5450	6530	1080	Wasatch

(OVER)

16-43094-2

MAILED 1957

FOCAL METER CORRECTION


LOG OF OIL OR GAS WELL

GEOLOGICAL SURVEY
 DEPARTMENT OF THE INTERIOR
 UNITED STATES

DATE OF REPORT TO BUREAU

WELL NUMBER

U. S. FIELD OFFICE



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office **Salt Lake**
Lease No. **U-073**
Unit **White River**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 11, 1957

Well No. **1** is located **3300** ft. from **N** line and **660** ft. from **E** line of sec. **14**
NE SE Sec. 14 **T.8S., R.22E.** **SL**
($\frac{1}{4}$ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat **Uintah County** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **5146** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded Jan. 2, 1957 - 13-3/8" cemented at 548'.

Total Depth 6530' bottoming 1080' in the Wasatch formation.

Only significant show was logged from 5890-5900'.

IST 5887-5927' Open 1-1/4 hrs. Recovered 200' high pour point, 110-115° F, oil.
IF 22, FF 68, SIP 600. Logs showed 7' of effective sand - non-commercial.

Spudded in Duchesne River.

Uinta formation near surface

Green River 2450'

Wasatch 5450'

Will place the following plugs as per telephone conversation between Mr. Donald R. Russell and Mr. E. W. Clark: 5510-5470 w/ 30 sacks cement, 2475-2450' w/ 30 sacks, across shoe of 13-3/8" seg. w/ 25 sacks, top surface seg. w/ 10 sacks.

Erect location marker and clean up location in compliance with Government regulations.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **DON E. WOODWARD**Address **Box 386****Santa Fe Springs,****California**By Title **Operator**

Salt Lake City, Utah
March 18, 1957

Oil & Gas Conservation Commission
Room 105 - Capitol Building
Salt Lake City 14, Utah

Gentlemen:

Enclosed find copy of Final Abandonment Notice and form 9-330, Log of Oil or Gas Well, as sent to the U.S.G.S. and a final copy of the Electric Log and Microlog from the Don E. Woodward, White River Unit #1, Section 14, T.8S., R.22E., Uintah County, Utah, to fulfill the final requirements set forth by your office.


Very truly yours,

Don E. Woodward
(D.E.W.)

DON E. WOODWARD
Operator

EWC/mgs

Enclosures



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. 8-973
Unit White River

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	XX
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 18, 19 57

Well No. 1 is located 3300 ft. from [N] line and 660 ft. from [E] line of sec. 14
NE NE Sec. 14 T.2S. R.22E. 31
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Utah County Utah
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5146 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

T.B. 6530', bottoming 1080' in the Wasatch formation.**13-3/8" surface casing cemented at 518'.****The well was plugged in the following manner:****Bottom of the hole filled with heavy mud.****Plugged interval 5520-5470' with 30 sacks cement.****Left heavy mud in interval 5470 to 2475'.****Plugged interval 2475-2450' with 30 sacks cement.****Left heavy mud in interval 2450 to 548'.****Placed 25 sack plug across shoe of 13-3/8" csg, and placed 10 sack plug in top of 13-3/8" csg.****Erected location marker and cleaned up location in compliance with Government regulations.**

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company DON E. HOWARD
 Address Box 386
Santa Fe Springs,
California
 By Don E. Howard
 Title Operator

March 19, 1957

Don E. Woodward
P. O. Box 386
~~Whittier, California~~

Santa Fe Springs

returned

Re: Well No. White River
Unit 1, Sec. 14, Twp.
8 S, R. 22 E, Uintah
County, Utah

Dear Sir:

This is to acknowledge receipt of copies of Final Abandonment Notice and Form 9-330, Log of Oil or Gas Well and the Electric Log and the Microlog on the above mentioned well.

Thank you for your cooperation in this matter.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FERGUSON
SECRETARY

CBF:cn